



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Reports of States and yearly and monthly reports of cities.*

CALIFORNIA—*Los Angeles*.—Month of August, 1898. Estimated population, 103,000. Total number of deaths, 114, including diphtheria, 1; enteric fever, 2, and 31 from phthisis pulmonalis.

CONNECTICUT.—Reports to the State board of health for the month of August, 1898, from 168 towns having an aggregate population of 893,060 show a total of 1,402 deaths, including diphtheria, 12; enteric fever, 13; measles, 3; scarlet fever, 2; whooping cough, 18, and 104 from phthisis pulmonalis.

ILLINOIS—*Springfield*.—Three weeks ended September 12. Estimated population, 31,000. Total number of deaths, 29, including enteric fever, 2, and 4 from phthisis pulmonalis.

IOWA—*Burlington*.—Month of August, 1898. Estimated population, 30,000. Total number of deaths, 28, including enteric fever, 1, and 5 from phthisis pulmonalis.

*Cedar Rapids*.—Month of August, 1898. Estimated population, 25,000. Total number of deaths, 9, including 1 from phthisis pulmonalis.

*Davenport*.—Month of August, 1898. Estimated population, 36,000. Total number of deaths, 43, including diphtheria, 1; enteric fever, 1, and 2 from phthisis pulmonalis.

*Des Moines*.—Month of August, 1898. Estimated population, 70,000. Total number of deaths, 64, including enteric fever, 2, and 4 from phthisis pulmonalis.

*Dubuque*.—Month of August, 1898. Estimated population, 45,000. Total number of deaths, 33, including diphtheria, 2; measles, 1, and 2 from phthisis pulmonalis.

*Eldon*.—Month of August, 1898. Estimated population, 1,900. Total number of deaths, 2.

*Grinnell*.—Month of August, 1898. Estimated population, 4,000. Total number of deaths, 2.

*Oskaloosa*.—Month of August, 1898. Estimated population, 11,000. Total number of deaths, 5, including 1 from phthisis pulmonalis.

*Ottumwa*.—Month of August, 1898. Estimated population, 18,000. Total number of deaths, 17, including enteric fever, 1, and 4 from phthisis pulmonalis.

*Sibley*.—Month of August, 1898. Estimated population, 1,500. Total number of deaths, 1.

*Sioux City*.—Month of August, 1898. Estimated population, 35,000. Total number of deaths, 27, including enteric fever 2, whooping cough, 1, and 4 from phthisis pulmonalis.

MAINE—*Portland*.—Four weeks ended September 3, 1898. Estimated population, 41,500. Total number of deaths, 81, including enteric fever, 7; whooping cough, 1, and 3 from phthisis pulmonalis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended September 17, 1898, from 79 observers, indicate that phthisis

pulmonalis increased in area of prevalence. Phthisis pulmonalis was reported present at 190, enteric fever at 89, scarlet fever at 21, whooping cough at 21, diphtheria at 16, measles at 7 places, and smallpox at 1 place.

MINNESOTA—*St. Paul*.—Month of August, 1898. Estimated population, 215,582. Total number of deaths, 158, including diphtheria, 2; enteric fever, 6; scarlet fever, 1; whooping cough, 1, and 23 from phthisis pulmonalis.

NEW JERSEY—*Orange*.—Two weeks ended September 10, 1898. Estimated population, 24,000. Total number of deaths, 24, including 4 from phthisis pulmonalis.

*Paterson*.—Month of August, 1898. Estimated population, 112,308. Total number of deaths, 190, including diphtheria, 6; enteric fever, 1; whooping cough, 4, and 16 from phthisis pulmonalis.

NEW YORK—*Yonkers*.—Month of August, 1898. Estimated population, 42,000. Total number of deaths, 74, including diphtheria, 2, and 5 from phthisis pulmonalis.

RHODE ISLAND—*Newport*.—Month of August, 1898. Estimated population, 21,500. Total number of deaths, 38, including whooping cough, 1, and 5 from phthisis pulmonalis.

OHIO—*Cleveland*.—Month of August, 1898. Estimated population, 370,000. Total number of deaths, 443, including diphtheria, 5; enteric fever, 6; scarlet fever, 3, and 16 from phthisis pulmonalis.

*Columbus*.—Month of August, 1898. Estimated population, 135,000. Total number of deaths, 115, including diphtheria, 2; enteric fever, 3, and 18 from phthisis pulmonalis.

TEXAS—*Galveston*.—Month of May, 1898. Estimated population, 60,000. Total number of deaths, 35, including 2 from phthisis pulmonalis.

Month of June, 1898. Total number of deaths, 25, including enteric fever, 1, and 3 from phthisis pulmonalis.

WISCONSIN—*Milwaukee*.—Month of August, 1898. Estimated population, 280,000. Total number of deaths, 353, including diphtheria, 4; enteric fever, 2; measles, 2; whooping cough, 10, and 27 from phthisis pulmonalis.